

TABLE OF CONTENTS

EYEWEAR TECHNOLOGY	2-3	WOMEN'S SUN	
MEN'S SUN		SPORT	
SPORT		Commit SQ	50
Split Jacket	6	Lavender Trust Collection	52-53
Jawbone	7	ACTIVE	
Radar	8-11	Miss Conduct	56
Flak Jacket	12-13	Necessity	56
Half Jacket	14-15	Encounter	57
M Frame	16-19	Forsake	57
Livestrong Collection	20-21	Compulsive Squared	58
ACTIVE		LIFESTYLE	
Scalpel	24	Beckon	62
Ten	25	Fringe	62
Fives	25	Oakley Hinder	63
Monster Dog	26	Oakley Discreet	63
Straight Jacket	26	Correspondent	64
X Squared	27	Restless	64
Juliet	27	Dangerous	65
Crosshair 2.0	28	SUNGLASS LENS OPTIONS	66-69
Whisker	28	MERCHANDISING	70-75
Tightrope	29	ACCESSORIES	76-77
Splinter	29		
Square Whisker	30		
Halfwire 2.0	30		
Oakley Elite Pit Boss	32-33		
Ducati Collection	34-35		
LIFESTYLE			
Batwolf	38		
Holbrook	38		
Dispatch	39		
Oil Rig	40		
Hijinx	40		
Fuel Cell	41		
Gascan	42		
Antix	42		
Oakley Jupiter	43		
Fives Squared	43		
Probation	44		
Signature Series	46-47		

SPECIFICATIONS LEGEND

EYE: 	B: 
BRIDGE: 	ED: 

If you understand the sweat and sacrifice of the best athletes on Earth, you understand that defiance is a part of their lifeblood. They refuse to obey limits, even the limits of possibility. Somewhere between obsession and rebellion, that same fire drives Oakley to create solutions for those who cannot compromise on performance, and nothing is closer to the soul of the company.

Authenticity is earned, and Oakley has spent more than three decades fusing innovation, performance and style to earn the respect of the greatest athletes on the planet. We do it by shattering the constraints of conventional ideas and redefining products by redefining what is physically possible. Oakley is known worldwide as an honest and honorable brand— an icon of performance and a global innovator that elevates physics to the level of art and sets the benchmark for others to follow.

Oakley has become one of the most sought-after brands on the planet, and world-class athletes will always inspire the company to seek out problems, create solutions and deliver the unexpected by erasing the line between form and function. We will challenge the limits of possibility for those who do the same in competition — those who aspire to greatness and those who have earned the right to be called the best on Earth.

EYEWEAR TECHNOLOGY



HIGH DEFINITION OPTICS® (HDO®)

Proprietary geometries, high-performance materials and state-of-the-art design and production techniques allow Oakley to create eyewear that maintains optical correction for refractive power, optical clarity and prismatic power. These three classifications are measured by a global standard ANSI Z87.1 for optical performance ratings. Oakley is the gold standard and best-in-class, as evident in Private Pilot magazine's sunglass/optics test results comparing all eyewear manufacturers.



OAKLEY HDPOLARIZED

Oakley HDPolarized technology surpasses industry standards for clarity, performance and durability. Common techniques of incorporating polarization films into lenses by lamination (using adhesive to sandwich the film between lens layers) and drop forming (sandwiching then heating and pressing over contoured forms) can cause haziness and optical distortion. Instead, Oakley uses an injection-molding process to infuse the lens material around the filter. This liquid fusion creates bonding at the molecular level, allowing the filter to achieve the highest possible level of performance.



HYDROPHOBIC

Oakley has developed a proprietary Hydrophobic lens treatment that repels water, oil, perspiration and dust, which makes cleaning lenses a breeze. Oakley's Hydrophobic coating is available in two forms: it comes as a standard permanent lens treatment on certain select models, and also comes in a user-applied cleaning and Hydrophobic kit.



PHOTOCHROMIC

Oakley lenses are available with photochromic technology to darken and lighten automatically in response to changing light. They help you adapt to changing conditions while filtering out 100% of harmful UV. Not to mention the added visual quality and comfort of having lenses that aren't too dark when the sun pulls a disappearing act, or too light when it knives through the clouds.



AVAILABLE WITH OAKLEY AUTHENTIC PRESCRIPTION LENSES

Oakley can custom-build eyewear with prescription lenses exactly to the doctor's orders. Take advantage of the uncompromising quality and innovation of a specialty lab created for Oakley dealers. It's the only way to maintain the integrity and warranty of the Oakley sunglass frame. Numerous lens options are available, including our polarized and progressive lens technologies, and all lenses feature the unbeatable clarity of High Definition Optics® (HDO®).

IMPACT PROTECTION

The lens materials and frame geometries of Oakley eyewear provide unsurpassed protection against high-velocity and high-mass impact. For high-velocity impact testing, a quarter-inch steel shot is blasted from a pneumatic cannon at 102 mph / 164 kmh. The high-mass impact test uses a metal spike (more than a pound of weight / half a kilo) dropped from over four feet. The unique combination of wrapped, raked-back lens geometries and durable Plutonite® lens material allows Oakley eyewear to exceed the standards of these impact tests, established by the American National Standards Institute.

UV PROTECTION

Oakley eyewear provides unbeatable protection against the damaging rays of ultraviolet radiation. Oakley's Plutonite® lens material inherently blocks 100% of all UVA, UVB, UVC and harmful blue light. The protection is formulated into the lens material, as opposed to a thin surface film that can become scratched, leaving dilated pupils exposed to ultraviolet leaks. Shielding has nothing to do with the darkness or color of the lens, so even clear Oakley lenses provide full protection. The wrapped, raked-back architecture of Oakley eyewear provides further protection by blocking UV from the periphery.

PLUTONITE® LENS MATERIAL

Lightweight Plutonite® lens material offers superior comfort, clarity and protection against impact and ultraviolet radiation. Maintaining the proven safety characteristics of Oakley eyewear, the impact-resistant material blocks 100% of all UVA, UVB, UVC and harmful blue light. Plutonite® is the only lens material able to achieve the performance standards required by the digital design and production technologies utilized by Oakley.

IRIDIUM® LENS COATINGS

Oakley Iridium® lens coatings allow the wearer to tune transmission for any light condition. Superheated metallic oxides are fused to the lens at the molecular level, permanently bonding to create a uniform filtering layer that optimizes contrast and minimizes glare. Tuned to transmit from 9 to 92 percent of available light, the coatings are specifically formulated for optimal balance between reflection, transmission and absorption, depending on the targeted environment for usage.

THREE-POINT FIT

Oakley frames are engineered to maintain a comfortable, secure fit. The company's patented Three-Point Fit ensures that each frame makes contact only at the bridge of the nose and behind the temples. This retains optics in perfect alignment and eliminates the discomfort of ordinary frames that hook the ears and mount with unbalanced pressure points. Some earstems are sheathed in Unobtainium®, an Oakley innovation that actually increases grip with perspiration.

ASIAN FIT

Getting the right fit is essential for comfort, protection and optical performance. Oakley has engineered a collection of eyewear to complement Asian facial anatomy in both fit and comfort. The nosebridge is narrowed and deepened, and longer pad mounts are used on certain frames to allow more room for adjustment. The earstems are more rounded to better match the shape of the head and ensure a comfortably secure fit, and the curvature across the front is reduced to prevent the frame from touching at the cheeks and temples.

FRAME COMPOSITION

Engineering breakthroughs in structural materials allow Oakley to produce lightweight, high-performance frames that maintain superior protection and comfort. The polymers in O Matter® frames are formulated for high durability, as well as controlled flexibility for improved safety during impact. To produce the ultra-strong, ultra-lightweight chassis of Oakley wire frames, five metallic compounds are fused into a single C-5™ alloy. Both frame materials maintain resistance to ultraviolet radiation, humidity, thermal shock and chemical exposure.

X METAL®

Oakley X Metal® is the only 3-D sculpted, hypoallergenic, all-metal frame on earth. Its phenomenal strength-to-weight ratio maximizes comfort and durability. Changeable nosebombs, flex couplers and temple shocks create a fully adaptable architecture that allows the wearer to tailor the frame for a perfect fit. To maintain precise optical geometries in a customizable frame, production pieces are analyzed under real-time X-ray scanning and undergo five-axis machining in computerized systems that maintain 0.0005" tolerance.

OAKLEY NANOWIRE™

Comprised of incredibly sleek and ultra-lightweight titanium alloy, Oakley Nanowire™ creates sculptural contours without sacrificing comfort or flexibility. Shape shifting Memory Metal flexes and springs back into place, providing an adaptable fit that borders on zero gravity.

OAKLEY MONO SHOCK™ / TWIN SHOCK™ HINGES

The latest Oakley breakthrough is a hinge mechanism that comes in two forms: Mono Shock and Twin Shock, developed for Rx eyewear and sunglasses. Inspired by pro racing, the structures are similar to leaf springs used for shock absorption. The Mono Shock hinge has a single "tine" (a slender projecting part, like the tines of a fork) that bridges the frame and the ear stem. The peerless architecture of these hinges are more durable and flexible than conventional hinges and offer greater comfort and fit with a unique look.

SWITCHLOCK™ TECHNOLOGY

Utilizing Oakley's new Switch Lock™ Technology, the frame opens to allow easy access for quick lens changing, letting you optimize performance in any light condition. The revolutionary design holds the lenses with a suspension system so stresses on the frame do not affect the optics. With ordinary sunglasses, flexing of the frame can change the surface contours of the lenses, causing optical distortion. This new architecture ensures there is nothing to diminish the unbeatable clarity of High Definition Optics®, and you still get the optimized comfort and fit of a flexible frame design. Simply pivot the switch to unlock the frame and open it for easy lens changing. The quick-release system closes with a cam that locks each lens securely in place.





MEN'S SUN - SPORT

Athletes who exceed the limits of possibility know that Oakley earned its reputation by doing the same. Three decades of innovation have gained us the respect of world-class sport professionals that depend on our products in competition. The heritage continues with new milestones in technology — innovations that allow athletes to perfect their performance by allowing us to perfect their vision.

Chris Lieto (Jawhorne) - Triathlon, Cedric Grobia (Split Jacket) - Mountain Bike, James Wiggins (Pak Jacket XL-II) - Golf

SPLIT JACKET™



EYE	BRIDGE	B	ED
61	18	38	64

POWER RANGES: +2.00 to -4.00; CYL -3.00

MINIMUM PD: 30 PAL: N/A



- Fast, secure lens replacement with Switchlock™ interchangeable lens technology
- Distortion-free lenses via Oakley's cushioned Lens Suspension System
- 8.75 base lens technology with HDO®
- Permanent Hydrophobic lens coating repels moisture and oils for ease of cleaning
- Polarized, Iridium® and Transitions® SOLFX™ Photochromic lens technologies optional
- Lightweight O Matter® frame material with ellipse metal icon accents
- Unobtainium® earsocks and nose pads for increased comfort and performance
- Extra set of contrast Plutonite® lenses (on select SKUs) included along with protective soft vault
- Available with Oakley Authentic Prescription Lenses

*Split Jacket Lens Sets

(includes case & 1 extra lens option)

009099-01 Matte Black / Black Iridium® & G40™
009099-02 Matte Rootbeer / Tungsten Iridium® Polarized & VR50™

009099-03 Polished White / Ice Iridium® & Light Grey
009099-04 Polished Black / Black Iridium® Polarized & G40™

009099-05 InfraRed® / VR28® Black Iridium® & VR50™

009099-06 Dark Grey / +Red® Iridium® Polarized & Light Grey

Transitions and the swirl are registered trademarks and SOLFX is a trademark of Transitions Optical, Inc.



Matte Black / Black Iridium®*
009099-01



Matte Rootbeer / Tungsten Iridium® Polarized*
009099-02



Polished White / Ice Iridium®*
009099-03



Polished Black / Black Iridium® Polarized*
009099-04



InfraRed® / VR28® Black Iridium®*
009099-05




Dark Grey / +Red® Iridium® Polarized*
009099-06



Black with Silver Ghost Text / Clear Black Iridium® Transitions® SOLFX™ Photochromic
009099-07

ACCESSORY LENSES



43-282
Clear



43-327
Clear Vented



43-329
Yellow Vented



43-330
Persimmon Vented



43-322
Light Grey



43-332
G30™ Iridium® Vented



43-320
G40™



43-331
G40™ Vented




43-321
VR50™



43-283
Fire Iridium®




43-328
Fire Iridium® Vented



43-333
+Red® Iridium® Vented



43-288
Ice Iridium®



43-280
Black Iridium®



43-326
Black Iridium® Vented




43-293
VR28® Black Iridium®



43-323
Tungsten Iridium® Polarized



43-281
Black Iridium® Polarized



43-324
00® Black Iridium® Polarized



43-325
00® Red Iridium® Polarized





JAWBONE



EYE	BRIDGE	B	ED
62	18	40	65

POWER RANGES: +2.00 to -4.00; CYL -3.00

MINIMUM PD: 31 PAL: N/A



Retina Burn with Black / Black Iridium**
04-205 (Vented)



Atomic Orange with White / Fire Iridium**
04-206 (Vented)



Matte Black / Black Iridium**
04-207 (Vented)



Polished White / Jade Iridium*
26-210



Polished Black / 00* Red Iridium* Polarized
26-223



Matte White / 00* Black Iridium* Polarized
26-224



InfraRed / VR50*
Transitions* SOLFX* Photochromic
04-210 (Vented)




Silver with Dark Grey / Clear Black Iridium*
Transitions* SOLFX* Photochromic
26-211 (Vented)



LIVESTRONG SIGNATURE SERIES
Polished Black with Yellow / Black Iridium**
04-211 (Vented)

ACCESSORY LENSES



– Fast, secure lens replacement with Switchlock™ interchangeable lens technology

– Distortion-free lenses via Oakley's cushioned Lens Suspension System

– 8.75 base lens technology with HDO®

– Permanent Hydrophobic lens coating repels moisture and oils for ease of cleaning

– Polarized, Iridium® and Transitions® SOLFX™ Photochromic lens technologies optional

– Lightweight O Matter® frame material with ellipse metal icon accents

– Unobtanium® earsocks and nose pads for increased comfort and performance

– Extra set of Plutonite® lenses and protective soft vault included (on select SKU's)

– Available with Oakley Authentic Prescription Lenses

*Jawbone Lens Sets

(includes case & 1 extra lens option)

26-223 Polished Black / 00* Iridium* Polarized & Persimmon

26-224 Matte White / 00* Black Iridium* Polarized & Persimmon

04-205 Retina Burn with Black / Black Iridium* Vented & Yellow Vented

04-206 Atomic Orange with White / Fire Iridium* Vented & Persimmon Vented

04-207 Matte Black / Black Iridium* Vented & Yellow Vented

26-210 Polished White / Jade Iridium* / Yellow Vented

04-211 LIVESTRONG Polished Black with Yellow / Black Iridium* & Yellow Vented

Transitions and the swirl are registered trademarks and SOLFX is a trademark of Transitions Optical, Inc.

LIVESTRONG is a trademark of the Lance Armstrong Foundation. The Lance Armstrong Foundation is a 501(c)(3) under federal tax guidelines.



RADAR® XL



EYE	BRIDGE	B	ED
132	0	50	N/A

PRESCRIPTION IMPLANT SPECIFICATIONS

58	21	39	59.2
----	----	----	------

POWER RANGES: +2.00 to -5.00; CYL -3.00

MINIMUM PD: 28 PAL: N/A



- High-profile lens cut with 7mm of additional height above nose bridge for unobstructed view
- Lightweight O Matter® frame material with ellipse metal icon accents
- Unobtainium® earsocks and nose pads for increased comfort and performance
- Permanent Hydrophobic lens coating repels moisture and oils for ease of cleaning
- Radar XL Straight Blades feature low-profile earstem geometry for improved fit under helmets
- Oakley performance shield lens technology with HDO®
- Interchangeable lens system
- Iridium® lens option available
- Protective soft vault included
- Available with Oakley Authentic Prescription Lenses



Matte White / Blue Iridium®
09-743



Polished Black / Light +Red® Iridium®
09-744

ACCESSORY LENSES





RADAR® PATH™



EYE	BRIDGE	B	ED
133	0	42.17	N/A

PRESCRIPTION IMPLANT SPECIFICATIONS

56	21	31.4	56.8
----	----	------	------

POWER RANGES: +2.00 to -5.00; CYL -3.00

MINIMUM PD: 28 PAL: N/A



Polished Black / Grey
09-670



Crystal Black / Black Iridium®
09-671



White Chrome / Blue Iridium®
09-673



Polished White / 00® Red Iridium® Polarized
26-212



Matte White / Jade Iridium®
26-214



Polished Grey Smoke /
Clear Black Iridium® Photochromic
26-213



Metallic Black / 00® Black Iridium® Polarized
26-215



Jet Black / Black Iridium® Polarized
09-674



InfraRed / VR50™ Photochromic
09-720



White Oakley Text / G40™ Photochromic
09-729



LIVESTRONG SIGNATURE SERIES
Polished Black with Yellow / Black Iridium®
12-763

ACCESSORY LENSES



11-284
Clear



11-293
Clear Vented



11-277
Yellow



11-394
High Intensity Yellow Iridium®



11-287
Persimmon



11-296
Persimmon Vented



11-276
High Intensity Persimmon Iridium®



11-380
G40™



11-278
G30™ Iridium Vented



11-290
VR28®



11-299
VR28® Vented



11-275
G26™ Iridium®



11-395
Slate Iridium®



11-267
Grey



11-396
Slate Iridium® Vented



11-378
Fire Iridium®



11-273
Blue Iridium®



11-270
G20™ Black Iridium®



11-279
Tungsten Iridium® Vented



11-269
VR28® Black Iridium®



11-274
Gold Iridium®



11-280
Gold Iridium® Vented



11-375
Ice Iridium®



11-268
Black Iridium®



11-281
Black Iridium® Vented



11-397
Light Grey Polarized



11-272
Bronze Polarized



11-271
Black Iridium® Polarized



43-340
00® Red Iridium® Polarized



43-341
00® Black Iridium® Polarized



- Lightweight O Matter® frame material with ellipse metal icon accents
- Unobtainium® earsocks and nose pads for increased comfort and performance
- Permanent Hydrophobic lens coating repels moisture and oils for ease of cleaning
- Polarized, Iridium® and Photochromic lens options available
- Oakley performance shield lens technology with HDO®
- Interchangeable lens system
- Protective soft vault included
- Available with Oakley Authentic Prescription Lenses (non-vented)

LIVESTRONG is a trademark of the Lance Armstrong Foundation. The Lance Armstrong Foundation is a 501(c)(3) under federal tax guidelines.

RADAR® PITCH®



EYE	BRIDGE	B	ED
135	0	44.02	N/A

PRESCRIPTION IMPLANT SPECIFICATIONS

58	21	35.8	61.4
----	----	------	------

POWER RANGES: +2.00 to -5.00; CYL -3.00

MINIMUM PD: 28 PAL: N/A



- Lightweight O Matter® frame material with ellipse metal icon accents
- Unobtainium® earsocks and nose pads for increased comfort and performance
- Permanent Hydrophobic lens coating repels moisture and oils for ease of cleaning
- Polarized and Iridium® lens options available
- Oakley performance shield lens technology with HDO®
- Interchangeable lens system
- Protective soft vault included
- Available with Oakley Authentic Prescription Lenses (non-vented)



Matte Black / Grey
09-676



Polished Aluminum / G20™ Black Iridium®
09-678



True Carbon Fiber / Black Iridium®
09-725



Polished White / OO® Red Iridium® Polarized
26-216



Metallic Black / OO® Black Iridium® Polarized
26-217



Jet Black / Black Iridium® Polarized
09-680

ACCESSORY LENSES



11-283
Clear



11-292
Clear Vented



11-262
Yellow



11-286
Persimmon



11-295
Persimmon Vented



11-261
High Intensity Persimmon Iridium®



11-379
G40™



11-263
G30™ Iridium Vented



11-289
VR28®



11-298
VR28® Vented



11-260
G26™ Iridium®



11-252
Grey



11-377
Fire Iridium®



11-258
Blue Iridium®



11-255
G20™ Black Iridium®



11-264
Tungsten Iridium® Vented



11-254
VR28® Black Iridium®



11-259
Gold Iridium®



11-265
Gold Iridium® Vented



11-374
Ice Iridium®



11-253
Black Iridium®



11-266
Black Iridium® Vented



11-257
Bronze Iridium



11-256
Black Iridium® Polarized



43-342
OO® Red Iridium® Polarized



43-343
OO® Black Iridium® Polarized



RADAR® RANGE®



EYE	BRIDGE	B	ED
135	0	46.8	N/A

PRESCRIPTION IMPLANT SPECIFICATIONS

60	21	39.2	62.3
----	----	------	------

POWER RANGES: +2.00 to -5.00; CYL -3.00

MINIMUM PD: 28 PAL: N/A



Jet Black / Grey
09-664



Crystal Black / Black Iridium®
09-665



Jet Black / Black Iridium® Polarized
09-668

ACCESSORY LENSES



11-282
Clear



11-291
Clear Vented



11-247
Yellow



11-285
Persimmon



11-294
Persimmon Vented



11-246
High Intensity Persimmon Iridium®



11-372
G40™



11-248
G30™ Iridium Vented



11-288
VR28®



11-297
VR28® Vented



11-245
G26™ Iridium®



11-237
Grey



11-376
Fire Iridium®



11-243
Blue Iridium®



11-240
G20™ Black Iridium®



11-249
Tungsten Iridium® Vented



11-239
VR28® Black Iridium®



11-244
Gold Iridium®



11-250
Gold Iridium® Vented



11-373
Ice Iridium®



11-238
Black Iridium®



11-251
Black Iridium® Vented



11-242
Bronze Polarized



11-241
Black Iridium® Polarized

– Lightweight O Matter® frame material with ellipse metal icon accents

– Unobtainium® earsocks and nose pads for increased comfort and performance

– Permanent Hydrophobic lens coating repels moisture and oils for ease of cleaning

– Polarized and Iridium® lens options available

– Oakley performance shield lens technology with HDO®

– Interchangeable lens system

– Protective soft vault included

– Available with Oakley Authentic Prescription Lenses (non-vented)



FLAK JACKET®



EYE	BRIDGE	B	ED
63	20	34	64.2

POWER RANGES: +2.00 to -4.00; CYL -3.00
MINIMUM PD: 30 PAL: N/A



- Lightweight O Matter® frame material with ellipse metal icon accents
- Unobtainium® earsocks and nose pads for increased comfort and performance
- Permanent Hydrophobic lens coating repels moisture and oils for ease of cleaning
- Polarized, Iridium® and Transitions® SOLFX™ Photochromic lens options available
- 8.75 base lens technology with HDO®
- Interchangeable lens system
- Protective soft vault included
- Available with Oakley Authentic Prescription Lenses



Jet Black / Black Iridium®
03-881



Polished White / Black Iridium®
03-882



Silver / Fire Iridium®
03-884



Matte White / Jade Iridium®
26-221



Polished White / Black Iridium® Polarized
26-202



Silver / Ice Iridium® Polarized
24-120



Polished Black / 00° Red Iridium® Polarized
26-219



Jet Black / Black Iridium® Polarized
12-900



Polished Rootbeer / Gold Iridium® Polarized
12-901




Jet Black / Black Persimmon Iridium®
Transitions® SOLFX™ Photochromic
13-718



LIVESTRONG SIGNATURE SERIES
Jet Black / Black Iridium®
12-762

ACCESSORY LENSES



13-642 Clear
16-618 Yellow
13-770 High Intensity Yellow
16-578 High Intensity Persimmon
13-643 Persimmon
13-774 Titanium Clear Iridium®



13-773 Gold Clear Iridium®
13-649 G30° Iridium®
13-724 VR28°
13-648 G30° Black Iridium®
13-772 Slate Iridium®
16-582 +Red® Iridium®



13-647 Fire Iridium®
13-726 G20° Black Iridium®
13-645 VR28° Black Iridium®
13-725 Gold Iridium®
13-646 Ice Iridium®
13-644 Black Iridium®



13-775 Light Grey Polarized
13-650 Bronze Polarized
16-615 VR28° Polarized
13-727 Fire Iridium® Polarized
16-612 VR28° Black Iridium® Polarized
13-728 Ice Iridium® Polarized



13-651 Black Iridium® Polarized
13-652 Gold Iridium® Polarized
43-334 00° Red Iridium® Polarized
43-335 00° Black Iridium® Polarized



FLAK JACKET® XLJ



EYE	BRIDGE	B	ED
9009 FLAK JACKET XLJ			
63	20	39.1	65.4
9011 FLAK JACKET XLJ			
63	14	39.1	65.4

POWER RANGES: +2.00 to -4.00; CYL -3.00

MINIMUM PD: 30 PAL: N/A

NEW



KEVIN VAN DAM SIGNATURE SERIES
Jet Black / Titanium® Polarized
24-216



Jet Black / Black Iridium®
03-915



Matte White / Jade Iridium®
26-222



Dark Grey / Fire Iridium® Polarized
24-122



Polished Black / 00® Red Iridium® Polarized
26-220



LIVESTRONG SIGNATURE SERIES
Jet Black / Black Iridium®
12-791



Polished White / Black Iridium®
03-917



Jet Black / VR28® Polarized
24-020 (Angling Specific)



Jet Black / Black Iridium® Polarized
12-903



Polished Rootbeer / Gold Iridium® Polarized
12-904

- Lightweight O Matter® frame material with ellipse metal icon accents
- Unobtainium® earsocks and nose pads for increased comfort and performance
- Permanent Hydrophobic lens coating repels moisture and oils for ease of cleaning
- Polarized, Iridium® and Transitions® SOLFX™ Photochromic lens options available
- 8.75 base lens technology with HDO®
- Interchangeable lens system
- Protective soft vault included
- Available with Oakley Authentic Prescription Lenses



ACCESSORY LENSES



13-653
Clear



13-729
VR28®



13-656
VR28® Black Iridium®



16-608
Tungsten Iridium® Polarized



13-662
Black Iridium® Polarized



16-619
Yellow



13-659
G30® Black Iridium®



13-730
Gold Iridium®



16-616
VR28® Polarized



13-663
Gold Iridium® Polarized



16-579
High Intensity Persimmon



13-658
Fire Iridium®



13-657
Ice Iridium®



13-732
Fire Iridium® Polarized



43-336
00® Red Iridium® Polarized



13-654
Persimmon



16-583
+Red® Iridium®



13-655
Black Iridium®



16-613
VR28® Black Iridium® Polarized



43-337
00® Black Iridium® Polarized



13-660
G30® Iridium®



13-731
G20® Black Iridium®



13-661
Bronze Polarized



13-733
Ice Iridium® Polarized

HALF JACKET®



EYE	BRIDGE	B	ED
60	20	34.6	61.9

POWER RANGES: +2.00 to -4.00; CYL -3.00
MINIMUM PD: 29 PAL: 32.0



- Lightweight O Matter® frame material with ellipse metal icon accents
- Unobtainium® earsocks and nose pads for increased comfort and performance
- Permanent Hydrophobic lens coating repels moisture and oils for ease of cleaning
- Polarized and Iridium® lens options available
- 8.75 base lens technology with HDO®
- Interchangeable lens system
- Available with Oakley Authentic Prescription Lenses



Jet Black / Fire Iridium®
03-613



Jet Black / Black Iridium®
03-614



Jet Black / G30™ Iridium®
03-625 (Golf Specific)



Jet Black / Black Iridium® Polarized
12-800



Brown Smoke / Tungsten Iridium® Polarized
12-896

ACCESSORY LENSES



13-385
Clear



13-420
High Intensity Yellow Iridium®



13-387
Persimmon



13-441
High Intensity Persimmon Iridium®



13-390
G30™ Iridium®



13-388
VR28®



13-393
Slate Iridium®



13-422
Grey



13-391
Fire Iridium®



13-401
VR28® Black Iridium®



13-676
Ruby Iridium®



13-674
Emerald Iridium®



13-411
Gold Iridium®



13-440
Titanium Iridium®



13-392
Ice Iridium®



13-389
Black Iridium®



13-400
24k Iridium®



13-437
VR28® Blue Polarized



13-435
Titanium Iridium® Polarized



13-438
Fire Iridium® Polarized



13-434
Ice Iridium® Polarized



16-534
VR28® Polarized



13-424
Black Iridium® Polarized



13-425
Gold Iridium® Polarized



HALF JACKET® XLJ



EYE	BRIDGE	B	ED
60	20	37.7	62.6

POWER RANGES: +2.00 to -4.00; CYL -3.00
MINIMUM PD: 29 PAL: 32.0



Jet Black / Black Iridium®
03-650



Jet Black / Black Iridium® Polarized
12-839

ACCESSORY LENSES



13-402
Clear



13-421
High Intensity Yellow Iridium®



13-404
Persimmon



13-444
High Intensity Persimmon Iridium®



13-407
G30™ Iridium®



13-405
VR28®



13-409
Slate Iridium®



13-423
Grey



13-410
Fire Iridium®



13-442
VR28® Black Iridium®



13-677
Ruby Iridium®



13-675
Emerald Iridium®



13-412
Gold Iridium®



13-443
Titanium Iridium®



13-408
Ice Iridium®



13-406
Black Iridium®



13-445
24k Iridium®



13-431
VR28® Blue Polarized



13-428
Titanium Iridium® Polarized



13-432
Fire Iridium® Polarized



13-429
Ice Iridium® Polarized



13-430
VR28® Polarized



13-426
Black Iridium® Polarized



13-427
Gold Iridium® Polarized

– Lightweight O Matter® frame material
with ellipse metal icon accents

– Unobtainium® earsocks and nose pads
for increased comfort and performance

– Polarized and Iridium® interchangeable
lens options available

– 8.75 base lens technology with HDO®

– Interchangeable lens system

– Available with Oakley Authentic Prescription Lenses

M FRAME® STRIKE®



EYE	BRIDGE	B	ED
129	0	48	N/A

PRESCRIPTION IMPLANT SPECIFICATIONS

50	16	39.5	54.9
----	----	------	------

POWER RANGES: +2.00 to -5.00; CYL -3.00

MINIMUM PD: 26 PAL: N/A



- Lightweight O Matter® frame material with ellipse metal icon accents
- Unobtainium® earsocks and nose pads for increased comfort and performance
- Oakley performance shield lens technology with HDO®
- Polarized and Iridium® lens options available
- Interchangeable lens system
- Available with Oakley Authentic Prescription Lenses



Matte Black / Grey
09-102



Jet Black / Black Iridium®
09-189

ACCESSORY LENSES



06-706
Clear



06-690
Clear Vented



06-766
High Intensity Yellow Iridium®



06-786
Persimmon



06-760
Persimmon Vented



06-626
G30™ Iridium® Vented



06-708
VR28®



06-779
VR28® Vented



06-616
Slate Iridium® Vented



06-746
Grey



06-655
Fire Iridium® Vented



06-776
+Red® Iridium®



06-726
Blue Iridium®



06-799
Gold Iridium® Vented



06-244
Ice Iridium®



06-756
Black Iridium®



06-739
Black Iridium® Vented



11-305
Amber Polarized



11-327
Grey Polarized



11-308
Black Iridium® Polarized



11-301
Gold Iridium® Polarized



06-691
VR50™ Vented



M FRAME® SWEEP®



EYE	BRIDGE	B	ED
135	0	46.6	N/A

PRESCRIPTION IMPLANT SPECIFICATIONS

50	21	33.9	53.6
----	----	------	------

POWER RANGES: +2.00 to -5.00; CYL -3.00

MINIMUM PD: 26 PAL: N/A



Matte Black / Grey
09-101



Jet Black / Black Iridium®
09-185



Crystal Red / +Red® Iridium®
09-192



Polished White / Jade Iridium®
09-193



Crystal Black /
Clear Black Iridium® Photochromic
09-194

ACCESSORY LENSES



06-704
Clear



06-689
Clear Vented



06-764
High Intensity Yellow Iridium®



06-784
Persimmon



06-790
Persimmon Vented



06-625
G30® Iridium® Vented



06-709
VR28®



06-778
VR28® Vented



06-698
G26® Iridium® Vented



06-615
Slate Iridium® Vented



06-744
Grey



06-654
Fire Iridium® Vented



06-774
+Red® Iridium®



06-724
Blue Iridium®



06-794
Gold Iridium®



06-798
Gold Iridium® Vented



06-243
Ice Iridium®



06-754
Black Iridium®



06-738
Black Iridium® Vented



11-306
Amber Polarized



11-303
Grey Polarized



11-309
Black Iridium® Polarized



06-682
VR50® Vented

– Lightweight O Matter® frame material
with ellipse metal icon accents

– Unobtainium® earsocks and nose pads for
increased comfort and performance

– Oakley performance shield lens
technology with HDO®

– Polarized and Iridium® lens options available

– Interchangeable lens system

– Available with Oakley Authentic Prescription Lenses

M FRAME® HYBRID®



EYE	BRIDGE	B	ED
129	0	34.1	58.4

PRESCRIPTION IMPLANT SPECIFICATIONS

50	21	33.9	53.6
----	----	------	------

POWER RANGES: +2.00 to -5.00; CYL -3.00

MINIMUM PD: 26 PAL: N/A



- Lightweight O Matter® frame material with ellipse metal icon accents
- Unobtainium® earsocks and nose pads for increased comfort and performance
- Oakley performance shield lens technology with HDO®
- Polarized and Iridium® lens options available
- Interchangeable lens system
- Available with Oakley Authentic Prescription Lenses



Jet Black / Black Iridium®
09-187



Polished White / Jade Iridium®
09-196



Crystal Black /
Clear Black Iridium® Photochromic
09-197



Crystal Red / +Red® Iridium®
09-198

ACCESSORY LENSES

- 06-729 Clear
- 06-691 Clear Vented
- 06-728 Yellow
- 06-720 Persimmon
- 06-638 Persimmon Vented
- 06-679 G30™ Iridium® Vented
- 06-719 VR28®

- 06-637 VR28® Vented
- 06-641 Slate Iridium® Vented
- 06-718 Grey
- 06-656 Fire Iridium® Vented
- 06-710 +Red® Iridium®
- 06-715 Blue Iridium®
- 06-712 Gold Iridium®

- 06-639 Gold Iridium® Vented
- 06-245 Ice Iridium®
- 06-702 Black Iridium®
- 06-640 Black Iridium® Vented
- 11-350 Amber Polarized
- 11-304 Grey Polarized
- 11-310 Black Iridium® Polarized



M FRAME® HYBRID® S



EYE	BRIDGE	B	ED
126	0	44	N/A



Polished White / Jade Iridium®
09-200



Crystal Red / +Red® Iridium®
09-201



LIVESTRONG SIGNATURE SERIES
Jet Black with Yellow / Black Iridium®
24-024

ACCESSORY LENSES



06-226
Clear




06-227
High Intensity Yellow



06-228
Persimmon



06-230
VR28®



06-229
Grey



06-235
+Red® Iridium®



06-234
Blue Iridium®



11-407
Tungsten Iridium®



06-233
Gold Iridium®



06-246
Ice Iridium®



06-232
Black Iridium®



06-231
VR50®

- Lightweight O Matter® frame material with ellipse metal icon accents
- Unobtainium® earsocks and nose pads for increased comfort and performance
- Oakley performance shield lens technology with HDO®
- Iridium® lens option available
- Interchangeable lens system



LIVESTRONG™ COLLECTION

"For nearly 20 years, Oakley has been there for me on and off the bike. Now, together with your support, we are making a difference for the millions of people who are living with cancer." Lance Armstrong, cancer survivor, seven-time Tour de France champion. Oakley is proud to partner with the Lance Armstrong Foundation which inspires and empowers people affected by cancer. With your purchase of LIVESTRONG™ edition eyewear, Oakley will provide \$20 to the Lance Armstrong Foundation in support of their mission. For more information, visit www.livestrong.org.



LIVESTRONG RADAR PATH*
Polished Black / Black Iridium®
12-763



LIVESTRONG STRAIGHT JACKET
Polished Black / Black Iridium®
12-792



LIVESTRONG M FRAME HYBRID S*
Jet Black / Black Iridium®
24-024



LIVESTRONG SCALPEL*
Polished Black / Black Iridium®
009095-10



LIVESTRONG FUEL CELL*
Polished Black / Black Iridium®
009096-20



LIVESTRONG JAWBONE*
Polished Black with Yellow / Black Iridium® & Yellow
04-211 (vented)



LIVESTRONG FLAK JACKET XLJ*
Jet Black / Black Iridium®
12-791



LIVESTRONG FLAK JACKET*
Jet Black / Black Iridium®
12-762



LIVESTRONG is a trademark of the Lance Armstrong Foundation. The Lance Armstrong Foundation is a 501(c)(3) under federal tax guidelines.
*Available with Oakley Authentic Prescription Lenses (lens engraving not available)







MEN'S SUN - ACTIVE

You don't have to be a professional athlete to be inspired by sports.

Those who lead active lives know our icon represents the very

best in performance and style. The sport culture of the brand

echoes their own lifestyle as they aspire to live life to the fullest.

They trust the Oakley brand to fuel their inspiration with innovation

that speaks to their love of sports and appreciation of style.

Pat Long (Scalpel) - Racing, Rich Beem (Straight Jacket) - Golf

SCALPEL™



EYE	BRIDGE	B	ED
58	17	38	66

POWER RANGES: +2.00 to -4.00; CYL -3.00

MINIMUM PD: 28 PAL: 33



- Lightweight O Matter® frame material with ellipse metal icon accents
- Unobtainium® earsocks and nose pads for increased comfort and performance
- 8.75 base lens technology with HDO®
- Polarized and Iridium® lens options available
- Available with Oakley Authentic Prescription Lenses

LIVESTRONG is a trademark of the Lance Armstrong Foundation. The Lance Armstrong Foundation is a 501(c)(3) under federal tax guidelines.



Polished Black / Black Iridium®
009095-01



Brown Smoke / Dark Bronze
009095-02



Matte White / Black Iridium®
009095-03



Dark Grey / +Red® Iridium®
009095-04



Polished Black / Grey Polarized
009095-05



Brown Sugar / Tungsten Iridium® Polarized
009095-06



White Chrome / Ice Iridium® Polarized
009095-07



DUCATI CASEY STONER SIGNATURE SERIES
Polished Black / Black Iridium®
009095-08



LIVESTRONG SIGNATURE SERIES
Polished Black / Black Iridium®
009095-10



Polished Black / 00® Black Iridium® Polarized
009095-11



TEN® NEW



EYE	BRIDGE	B	ED
55	16	39.2	64

POWER RANGES: +2.00 to -4.00; CYL -3.00

MINIMUM PD: 30 PAL: 34



Matte Black / Warm Grey
009128-01



Brown Tortoise / Gold Iridium®
009128-02



White Chrome / Fire Iridium®
009128-03



Brown Smoke / Tungsten Iridium® Polarized
009128-04



Polished Black / Black Iridium® Polarized
009128-05



Black Ink / 00° Red Iridium® Polarized
009128-06



Black Ink / Black Iridium®
009128-07

– Lightweight O Matter® frame material
with ellipse metal icon accents

– 8.75 base lens technology with HDO®

– Polarized and Iridium® lens options available

– Available with Oakley Authentic Prescription Lenses



FIVES®



EYE	BRIDGE	B	ED
54	20	32.7	56.4

POWER RANGES: +2.00 to -4.00; CYL -3.00

MINIMUM PD: 27 PAL: 28.5



Brown Sugar / Bronze
03-364



Polished Black / Black Iridium®
03-365



Black w/ Silver Text / Black Iridium® Polarized
12-993



Matte Rootbeer / Tungsten Iridium® Polarized
12-995



Polished Black / 00° Black Iridium® Polarized
26-205

– Lightweight O Matter® frame material
with ellipse metal icon accents

– 8.75 base lens geometry with HDO®

– Polarized and Iridium® lens options available

– Available with Oakley Authentic Prescription Lenses

MONSTER DOG™



EYE	BRIDGE	B	ED
62	19	34.1	58.4

POWER RANGES: +2.00 to -4.00; CYL -3.00

MINIMUM PD: 30 PAL: 32.5



- Lightweight O Matter® frame material with ellipse metal icon accents
- 8.75 base lens technology with HDO®
- Polarized and Iridium® lens options available
- Available with Oakley Authentic Prescription Lenses



Crystal Black / Black Iridium®
05-012



Brown Tortoise / Bronze
05-013



Matte Black / Grey
05-015



Polished Black / VR28® Polarized
24-023 (Angling Specific)

STRAIGHT JACKET®



EYE	BRIDGE	B	ED
61	18	36	61.6

POWER RANGES: +2.00 to -4.00; CYL -3.00

MINIMUM PD: 30.5 PAL: 32



- Lightweight O Matter® frame material with ellipse metal icon accents
- Unobtainium® earsocks and nose pads for increased comfort and performance
- 8.75 base lens technology with HDO®
- Permanent Hydrophobic lens coating repels moisture and oils for ease of cleaning
- Polarized and Iridium® lens options available
- Available with Oakley Authentic Prescription Lenses

LIVESTRONG is a trademark of the Lance Armstrong Foundation. The Lance Armstrong Foundation is a 501(c)(3) under federal tax guidelines.



Polished Black / Black Iridium®
04-325



Grey Smoke / Black Iridium®
04-327



White Chrome / +Red® Iridium®
04-329



Polished Black / Black Iridium® Polarized
12-935



Matte Rootbeer / Bronze Polarized
12-936



Matte Black / Grey Polarized
24-124



Metallic Red / 00® Black Iridium® Polarized
26-200



Polished Black / VR28® Polarized
24-022 (Angling Specific)



LIVESTRONG SIGNATURE SERIES
Polished Black with Yellow / Black Iridium®
12-792



X SQUARED™



EYE	BRIDGE	B	ED
58	20	34.1	58.4

POWER RANGES: +2.00 to -4.00; CYL -3.00

MINIMUM PD: 29 PAL: 30.5



Carbon / Black Iridium®
006011-01



Plasma / Ice Iridium®
006011-02



X Metal® / Ruby Iridium®
006011-03



Plasma / Fire Iridium® Polarized
006011-04



Polished / VR28® Black Iridium® Polarized
006011-05



Polished Carbon / Black Iridium® Polarized
006011-06



Carbon / 00® Black Iridium® Polarized
006011-08

- Ultra high-strength X Metal® titanium frame material
- 8.75 base lens geometry with HDO®
- Polarized and Iridium® lens options available
- Unobtanium® earsocks, nose pads and temple shocks for increased comfort and performance
- Permanent Hydrophobic lens coating repels moisture and oils for ease of cleaning
- Available with Oakley Authentic Prescription Lenses
- X Metal® protective soft vault included



JULIET®



EYE	BRIDGE	B	ED
56	21	33.1	56.3

POWER RANGES: +2.00 to -4.00; CYL -3.00

MINIMUM PD: 29 PAL: 30.5



X Metal® / Ruby Iridium®
04-125



Plasma / Fire Iridium®
04-151



Polished / Fire Iridium® Polarized
04-147



Carbon / Black Iridium® Polarized
04-149



Plasma / Ice Iridium® Polarized
04-153

- Ultra high-strength X Metal® titanium frame material
- 8.75 base lens technology with HDO®
- Unobtanium® earsocks, nose pads and temple shocks for increased comfort and performance
- Permanent Hydrophobic lens coating repels moisture and oils for ease of cleaning
- Polarized and Iridium® lens options available
- Available with Oakley Authentic Prescription Lenses

CROSSHAIR® 2.0



EYE	BRIDGE	B	ED
63	17	40.6	64.1

POWER RANGES: +2.00 to -4.00; CYL -3.00

MINIMUM PD: 29 PAL: N/A



- Ultra-lightweight C-5™ alloy frame material
- Polarized and Iridium® lens options available
- Unobtainium® earsocks and nose pads for increased comfort and performance
- Oakley Twin Toric lens geometry with HDO®
- Available with Oakley Authentic Prescription Lenses



Matte Black / Grey Polarized
004044-01



Polished Gold / Bronze Polarized
004044-02



Lead / Black Iridium® Polarized
004044-03



Matte Black / Warm Grey
004044-04



Polished Chrome / VR28® Black Iridium®
004044-05

WHISKER®



EYE	BRIDGE	B	ED
60	19	32.9	62

POWER RANGES: +2.00 to -4.00; CYL -3.00

MINIMUM PD: 29 PAL: 30.5



- Ultra-lightweight C-5™ alloy frame material
- 8.75 base lens technology with HDO®
- Unobtainium® earsocks and nose pads for increased comfort and performance
- Polarized and Iridium® lens options available
- Available with Oakley Authentic Prescription Lenses



Black / Black Iridium®
05-715



Silver / Dark Grey
05-716



Pewter / Black Iridium® Polarized
12-849



Brown / Bronze Polarized
12-850



Silver / 00® Black Iridium® Polarized
26-206



TIGHTROPE™



EYE	BRIDGE	B	ED
58	20	34.1	56.2

POWER RANGES: +2.00 to -4.00; CYL -3.00
MINIMUM PD: 28 PAL: 30



Polished Black / Black Iridium®
004040-01



Pewter / Black Iridium® Polarized
004040-02



Light / Ice Iridium®
004040-03



Carbon / Bronze Polarized
004040-04



Dark / Ice Iridium® Polarized
004040-05



Carbon / Tungsten Iridium®
004040-06



Polished Black / 00® Black Iridium® Polarized
004040-07

- Ultra-lightweight C-5™ alloy frame material
- 8.75 base lens geometry with HDO®
- Polarized and Iridium® lens options available
- Unobtainium® earsocks and nose pads for increased comfort and performance
- Available with Oakley Authentic Prescription Lenses



SPLINTER®



EYE	BRIDGE	B	ED
61	18	36	63

POWER RANGES: +2.00 to -4.00; CYL -3.00
MINIMUM PD: 29 PAL: 33.5



Matte Black / Warm Grey
05-468



Brown Chrome/ VR28® Black Iridium® Polarized
12-979



Matte Black / Black Iridium® Polarized
12-980

- Ultra-lightweight C-5™ alloy frame material
- Unobtainium® earsocks and nose pads for increased comfort and performance
- 8.75 base lens geometry with HDO®
- Custom spring hinge mechanisms for added comfort
- Polarized and Iridium® lens options available
- Available with Oakley Authentic Prescription Lenses

SQUARE WHISKER™



EYE	BRIDGE	B	ED
61	18	35.8	62.3

POWER RANGES: +2.00 to -4.00; CYL -3.00

MINIMUM PD: 29 PAL: 32.5



- Ultra-lightweight C-5™ alloy frame material
- 8.75 base lens geometry with HDO®
- Unobtainium® earsocks and nose pads for increased comfort and performance
- Polarized and Iridium® lens options available
- Available with Oakley Authentic Prescription Lenses



Pewter / Black Iridium®
05-769



Brown / Tungsten Iridium® Polarized
12-970



Polished Black / Black Iridium® Polarized
12-971



DUCATI SIGNATURE SERIES
Pewter / Black Iridium® Polarized
24-197

HALFWIRE™ 2.0



EYE	BRIDGE	B	ED
60	19	37.3	61

POWER RANGES: +2.00 to -4.00; CYL -3.00

MINIMUM PD: 29 PAL: 32.5



- Ultra-lightweight C-5™ alloy frame material
- 8.75 base lens technology with HDO®
- Unobtainium® earsocks and nose pads for increased comfort and performance
- Custom spring hinge mechanisms for added comfort
- Polarized and Iridium® lens options available
- Available with Oakley Authentic Prescription Lenses



Matte Black / Black Iridium®
05-745



Black Chrome / Tungsten Iridium®
05-746



Carbon / Bronze Polarized
12-953



Matte Black / Black Iridium® Polarized
12-952



OAKLEY ELITE PIT BOSS™

We strive to raise physics to the level of art, and our Elite collection raises that to the level of masterpiece. Signed with a specially designed metal icon, this exclusive collection of ultra premium eyewear blends the most technologically innovative milestones in optical science with rich materials and unrivaled architectures. Elite is for those who settle for nothing but the best.

PIT BOSS is a select member of the Oakley Elite collection. The frame features lightweight titanium plates chiseled with a precision of 0.002 inches, secured to stress-resistant O Matter® with specially engineered bolts for high velocity protection. PIT BOSS is equipped with Oakley HDPolarized lenses which filter out 99% of glare, and the back of each lens has the added protection and glare reduction of anti-reflective (AR) coating. The front of the lenses are augmented with Iridium® coating to further reduce glare while precisely balancing light transmission. On top of that, we added Oakley Hydrophobic anti-smudge lens coating to repel water and oils. The unrivaled design and innovation of the Elite status is confirmed by the faceted metal icons that adorn the titanium plates on each side of PIT BOSS.

*Quantities are limited.





OAKLEY ELITE PIT BOSS®

EYE	BRIDGE	B	ED
61	19	33.1	56.3

POWER RANGES: +2.00 to -4.00; CYL -3.00
MINIMUM PD: 31 PAL: N/A



PIT BOSS®
Polished Black with Gunmetal /
VR28® Black Iridium® Polarized
03-304



PIT BOSS®
Matte Black with Titanium /
Black Iridium® Polarized
03-303



PIT BOSS®
Matte Rootbeer with Bronze /
Tungsten Iridium® Polarized
03-305



*Available with Oakley Authentic Prescription Lenses





DUCATI COLLECTION



DUCATI SCALPEL SIGNATURE SERIES*
Polished Black / Black Iridium®
009095-14



DUCATI OAKLEY JUPITER NICKY HAYDEN SIGNATURE SERIES*
Matte Black / Black Iridium®
24-196



DUCATI FUEL CELL*
Matte Black / Warm Grey
009096-09



DUCATI SQUARE WHISKER*
Pewter / Black Iridium® Polarized
24-197



DUCATI FIVES SQUARED*
Matte Black / Black Iridium® Polarized
24-191



Ducati and Ducati Corse are registered trademarks of Ducati Motor Holdings S.P.A. corporation Italy. DMH and DC official licensed product
*Available with Oakley Authentic Prescription Lenses







MEN'S SUN - LIFESTYLE

This collection is an expression of Oakley lifestyle. Inspired by our athletes, the cultures they live in and their approach to life, this collection is rendered with clean and uncomplicated style. It balances a pure and authentic look with innovation and craftsmanship the world has come to trust from Oakley.

Ton Whittaker (Bavaria) - Surf Adam Meling (Hobrook) - Surf Sebastian Zieg (Hobrook) - Surf

BATWOLF™ **NEW**



EYE	BRIDGE	B	ED
127	0	40.76	N/A



- Lightweight O Matter® frame material with Square O metal icon accents
- Interchangeable, accessory metal icon (additional icon designs available)
- Oakley shield lens technology with HDO®
- Polarized and Iridium® lens options available



Black Ink / Black Iridium®
009101-01



Polished Rootbeer / Dark Bronze
009101-02



Polished Black Gold Ghost Text /
Tungsten Iridium® Polarized
009101-03



Matte Black / Grey Polarized
009101-04



Granite / Black Iridium® Polarized
009101-05



Polished White / 00 Black Iridium® Polarized
009101-06



Clear / Ice Iridium®
009101-07



Polished Black / Warm Grey
009101-08

HOLBROOK™



EYE	BRIDGE	B	ED
55	18	43	63

POWER RANGES: +2.00 to -5.00; CYL -3.00
MINIMUM PD: 25.5 PAL: 30



- Lightweight O Matter® frame material with Square O metal icon and front rivet accents
- 6 Base lens geometry with HDO®
- Polarized and Iridium® options available
- Available with Oakley Authentic Prescription Lenses



Matte Black / Grey
009102-01



Polished Black / Grey Polarized
009102-02



Matte Rootbeer / Bronze Polarized
009102-03



Crystal Red / Ruby Iridium®
009102-04



Matte White / Violet Iridium®
009102-05



Polished Clear / Chrome
009102-06



SHAUN WHITE SIGNATURE
Polished Black / 24K Iridium®
009102-08



Grape Juice / Grey
009102-10





DISPATCH™



EYE	BRIDGE	B	ED
62	14	47	72

POWER RANGES: +2.00 to -5.00; CYL -3.00

MINIMUM PD: 28

PAL: N/A



Matte Black / Grey
009090-01



Polished Black / Silver Text / Black Iridium® Polarized
009090-02



Matte White / Grey
009090-03



Matte Rootbeer / Bronze Polarized
009090-04



Polished Clear / Chrome Iridium®
009090-05



NEW

BRUCE IRONS SIGNATURE
Polished Black / Grey Polarized
009090-08



SEBASTIAN LOEB SIGNATURE
Matte Black / Grey Polarized
009090-09



NEW

JULIAN WILSON SIGNATURE
Polished Black / Grey
009090-10



NEW

SVEN KRAMER SIGNATURE
Matte Black / Grey Polarized
009090-11



NEW

Grape Juice / Grey
009090-12

– Lightweight O Matter® frame material
with Square O metal icon accent

– Interchangeable, accessory metal icon
(additional icon designs available)

– 6 Base lens geometry with HDO®

– Polarized and Iridium® lens options available

– Available with Oakley Authentic Prescription Lenses

OIL RIG®



EYE	BRIDGE	B	ED
128	0	39.21	N/A



- Lightweight O Matter® frame material with Square O metal icon accents
- Oakley shield lens technology with HDO®
- Polarized and Iridium® lens options available



Polished Black / Warm Grey
03-460



White w/ Text Print Paint / Grey
03-461



Brown Smoke / Tungsten Iridium®
03-463



Matte Black / Black Iridium®
03-464



Shadow Camo / Grey Polarized
12-985

HIJINX®



EYE	BRIDGE	B	ED
65	16	42.5	67.8

POWER RANGES: +2.00 to -5.00; CYL -3.00
MINIMUM PD: 29 PAL: N/A



- Lightweight O Matter® frame material with Square O metal icon accents
- Oakley Twin Toric lens technology with HDO®
- Polarized and Iridium® lens options available
- Available with Oakley Authentic Prescription Lenses



Brown Tortoise / Dark Bronze
03-591



Crystal Black / Black Iridium®
03-595



Brown Smoke / Dark Bronze
03-596



Polished Rootbeer / Bronze Polarized
03-597



Matte Black / Grey Polarized
12-929



Polished Black / Grey Polarized
12-940



Polished Black / VR28® Polarized
24-113 (Angling Specific)



BRUCE IRONS SIGNATURE
Polished Black / Warm Grey
03-590



STEPHEN MURRAY SIGNATURE
Polished Black / Black Iridium®
24-027



FUEL CELL™



EYE	BRIDGE	B	ED
60	19	41	66

POWER RANGES: +2.00 to -5.00; CYL -3.00

MINIMUM PD: 29.5 PAL: N/A



Polished Black with Matte Black / Warm Grey
009096-01



Brown Smoke / Dark Bronze
009096-02



Polished White with Matte White / Black Iridium®
009096-03



Polished Clear with Matte Clear / Violet Iridium®
009096-04



Matte Black / Grey Polarized
009096-05



Brown Tortoise / Bronze Polarized
009096-06



Polished Black with Silver Text /
Black Iridium® Polarized
009096-07



DUCATI SIGNATURE SERIES
Matte Black / Warm Grey
009096-09



LIVESTRONG SIGNATURE SERIES
Polished Black / Black Iridium®
009096-20



Polished Black with Matte Black /
OO® Grey Polarized
009096-21

- Lightweight O Matter® frame material with Square O metal icon accents
- Oakley shield lens technology with HDO®
- Polarized and Iridium® lens options available

GASCAN®



EYE	BRIDGE	B	ED
61	15	34.9	62

POWER RANGES: +2.00 to -5.00; CYL -3.00

MINIMUM PD: 28 PAL: 33



- Lightweight O Matter® frame material with Square O metal icon accents
- Oakley Twin Toric lens technology with HDO®
- Polarized and Iridium® lens options available
- Available with Oakley Authentic Prescription Lenses



Polished Black / Grey
03-471



Polished Rootbeer / Bronze
03-472



Matte Black / Grey
03-473



Polished White / Black Iridium®
03-474



Crystal Black / Black Iridium®
03-481



Brown Tortoise / Bronze Polarized
12-855



Matte Black / Black Iridium® Polarized
12-856



Polished Black / Grey Polarized
12-891



BOB BURNQUIST SIGNATURE
Recycled Polished Black / Warm Grey
24-146

ANTIX®



EYE	BRIDGE	B	ED
132	0	38	N/A



- Lightweight O Matter® frame material with Square O metal icon accents
- Oakley shield lens technology with HDO®
- Polarized and Iridium® lens options available



Polished Black / Warm Grey
03-700



Black Tortoise / Black Iridium®
03-701



Brown Tortoise / Dark Bronze
03-703



Matte Black / Grey Polarized
12-959



Brown Smoke / Tungsten Iridium® Polarized
12-960



Polished Rootbeer / Bronze Polarized
24-112



ERNESTO FONSECA SIGNATURE
Polished Black / Black Iridium®
24-163





OAKLEY JUPITER®



EYE	BRIDGE	B	ED
58	16	41	62.1

POWER RANGES: +2.00 to -5.00; CYL -3.00

MINIMUM PD: 26

PAL: 30



Polished Black / Black Iridium®
03-244



Matte Black / Grey
03-245



Polished Clear / Violet Iridium®
03-247



White / 24K Iridium®
03-249



Grape Juice / G40™ Black Gradient
03-256



Crystal Turquoise / Grey
03-257



Polished Black / Grey Polarized
24-114



Polished Rootbeer / Bronze Polarized
24-115



DUCATI NICKY HAYDEN SIGNATURE
Matte Black / Black Iridium®
24-196

– Lightweight O Matter® frame material
with Square O metal icon accents

– 6 base lens technology with HDO®

– Polarized and Iridium® lens options available

– Available with Oakley Authentic Prescription Lenses

*Additional combinations available in Women's section pg. 85



FIVES SQUARED®



EYE	BRIDGE	B	ED
54	19	33	56.3

POWER RANGES: +2.00 to -4.00; CYL -3.00

MINIMUM PD: 27

PAL: 29



Polished Black / Grey
03-440



Grey Smoke / Warm Grey
03-441



Rootbeer / Dark Bronze
03-442



Polished White / Black Iridium®
03-443



Brown Smoke / Dark Bronze
24-193



Polished Black / Black Iridium® Polarized
12-967



Brown Tortoise / Bronze Polarized
12-968



Metallic Red / 00 Black Iridium® Polarized
26-201



DUCATI SIGNATURE SERIES
Matte Black / Black Iridium® Polarized
24-191

– Lightweight O Matter® frame material
with Square O metal icon accents

– 8.75 base lens technology with HDO®

– Polarized and Iridium® lens options available

– Available with Oakley Authentic Prescription Lenses

PROBATION™



EYE	BRIDGE	B	ED
130	0	42	N/A



- Ultra-lightweight C-5™ alloy frame material
- Oakley shield lens technology with HDO®
- Polarized and Iridium® lens options available
- Unobtainium® earsocks, nose pads and temple shocks for increased comfort and performance



Polished Black / Warm Grey
004041-01



Polished Chrome / VR28® Black Iridium®
004041-02



Brushed Chrome / Dark Bronze
004041-04



Matte Black / Black Iridium® Polarized
004041-05



SIGNATURE SERIES



HOLBROOK SHAUN WHITE SIGNATURE*
Polished Black / 24K Iridium®
009102-08



DISPATCH JULIAN WILSON SIGNATURE*
Polished Black / Grey
9090-10



DISPATCH SEBASTIAN LOEB SIGNATURE*
Matte Black / Grey Polarized
9090-09



DISPATCH BRUCE IRONS SIGNATURE*
Polished Black / Grey Polarized
9090-08



HIJINX BRUCE IRONS SIGNATURE*
Polished Black / Warm Grey
03-590

SIGNATURE SERIES



DISPATCH **SVEN KRAMER** SIGNATURE*
Matte Black / Grey Polarized
9090-11



GASCAN **BOB BURNQUIST** SIGNATURE*
Recycled Polished Black / Grey
24-146



HIJINX **STEPHEN MURRAY** SIGNATURE*
Polished Black / Black Iridium®
24-027



ANTIX **ERNESTO FONSECA** SIGNATURE
Polished Black / Black Iridium®
24-163





WOMEN'S SUN - SPORT

Built on three decades of technical innovation and the respect of
the world's best athletes.

WOMEN'S SUN

Sam Stosur (Commit S4) - Tennis

HEAD
CONSTRUCTION: 100% POLYESTER
HEAD: 100% POLYESTER

COMMIT® SQ



EYE	BRIDGE	B	ED
62	12	39	67

POWER RANGES: +2.00 to -4.00; CYL -3.00

MINIMUM PD: 28.5 PAL: N/A



- Lightweight O Matter® frame material with ellipse metal icon accents
- 8.75 base lens technology with HDO®
- Permanent Hydrophobic lens coating repels moisture and oils for ease of cleaning
- Unobtainium® earsocks and nosepads for increased comfort and performance
- Interchangeable lens system
- Polarized, Photochromic and Iridium® lens options available
- Protective soft vault included
- Available with Oakley Authentic Prescription Lenses



Polished Black / Black Iridium®
03-781



Bronze / Bronze Polarized
03-782



Polished White / G30™ Black Iridium®
03-784



Brown Sugar / VR28™ Black Iridium®
03-786



Polished White / Violet Iridium®
26-207



Metallic Black / Pink Iridium®
26-208



Cinder Red / 00™ Black Iridium® Polarized
26-209



LAVENDER TRUST
Polished White / G20™ Black Iridium®
24-184

ACCESSORY LENSES



16-904
Clear



16-905
Persimmon



16-911
G30™ Iridium®



16-912
G30™ Black Iridium®



16-913
Slate Iridium®



16-910
G20™ Black Iridium®



16-909
VR28™ Black Iridium®



16-906
Black Iridium®



16-915
Bronze Polarized



16-914
Grey Polarized



16-907
Black Iridium® Polarized



16-908
Black Persimmon Iridium® Transitions™ SOLFX™



lavender trust

at breast cancer care

Oakley is proud to partner with the Lavender Trust at Breast Cancer Care. The Lavender Trust raises money specifically to fund Breast Cancer Care's information and support for younger women with breast cancer. The Lavender Trust is the only fund in the UK dedicated to addressing the particular needs of this age group. They bring people together, help to inform and support individuals and families, and campaign for improved standards of care. Every year more and more people need their support. You can help them be here for every one of them.

£10 from the sale of each of these products will be donated to the Lavender Trust at Breast Cancer Care.

For more information about how you can help, see www.lavendertrust.org.uk or call 0845 092 0800.

Oakley (UK) Ltd have guaranteed a minimum donation of £20,000 from this promotion for the Lavender Trust at Breast Cancer Care. (Registered charity in England and Wales 1017658, and in Scotland SC038104) via Breast Cancer Care Trading Limited (CRN 2681072).



Oakley

LAVENDER TRUST COLLECTION



OAKLEY DISCREET LAVENDER TRUST*
Polished Black / G40™ Black Gradient
002012-08



DANGEROUS LAVENDER TRUST*
Polished Black / G40™ Black Gradient
24-185



COMMIT SQ LAVENDER TRUST*
Polished White / G20™ Black Iridium®
24-184



*Available with Oakley Authentic Prescription Lenses. Prescription lenses are not available with laser etching. Lavender Trust at Breast Cancer Care is a registered trademark of Breast Cancer Care.







WOMEN'S SUN - ACTIVE

For women who are serious about their sport and their style.

MISS CONDUCT™ **NEW**



EYE	BRIDGE	B	ED
137	0	51.7	N/A



- Lightweight O Matter® frame material
- Unobtanium® nosepads for increased comfort
- Oakley Shield lens technology with HDO®
- Polarized and Gradient lens options available
- Protective carrying case included



Polished Black / 00° Grey Polarized
009123-01



Brown Sugar / VR50™ Brown Gradient
009123-02



Pacific / Grey
009123-03



Amethyst / G40™ Black Gradient
009123-04



Graffiti / Grey
009123-05



Brown Sugar / Bronze Polarized
009123-06

NECESSITY™ **NEW**



EYE	BRIDGE	B	ED
60	18	48	64

POWER RANGES: +2.00 to -4.00; CYL -3.00
MINIMUM PD: 30 PAL: N/A



- Lightweight O Matter® frame material
- Unobtanium® nosepads for increased comfort
- 8.75 Base lens technology with HDO®
- Polarized and Gradient lens options available
- Protective carrying case included
- Available with Oakley Authentic Prescription Lenses



Polished Black / Grey
009122-01



Amethyst / G40™ Black Gradient
009122-02



Tortoise / VR50™ Brown Gradient
009122-03



Caffeine / Dark Bronze
009122-04



Polished Black / Grey Polarized
009122-05



Tortoise / Bronze Polarized
009122-06



ENCOUNTER™



EYE	BRIDGE	B	ED
59	16	37	61

POWER RANGES: +2.00 to -4.00; CYL -3.00

MINIMUM PD: 28

PAL: 31



Polished Black / Black Iridium®
009091-01



Polished White / G30™ Black Iridium®
009091-02



Topaz Tortoise / Dark Bronze
009091-03



Metallic Red / Grey
009091-04



Polished Black / Black Iridium® Polarized
009091-05



Topaz Tortoise / Bronze Polarized
009091-06

- Lightweight O Matter® frame material with ellipse metal icon accents
- Unobtainium® earsocks and nose pads for increased comfort
- 8.75 base lens technology with HDO®
- Polarized and Iridium® lens options available
- Protective soft vault included
- Available with Oakley Authentic Prescription Lenses



FORSAKE™



EYE	BRIDGE	B	ED
128	0	45	N/A



Polished Black / Grey
009092-01



Polished White / Dark Bronze
009092-02



Topaz Tortoise / VR50™ Brown Gradient
009092-03



Blush / G40™ Black Gradient
009092-04



Polished Black / Grey Polarized
009092-05



Topaz Tortoise / Bronze Polarized
009092-06



CAIA KOOPMAN SIGNATURE
Polished Black / Grey
009092-07



Polished Black / 00° Grey Polarized
009092-08

- Lightweight O Matter® frame material with ellipse metal icon accents
- Unobtainium® earsocks and nose pads for increased comfort
- Oakley shield lens technology with HDO®
- Polarized and gradient lens options available
- Protective carrying case included



COMPULSIVE® SQUARED



EYE	BRIDGE	B	ED
136	0	47	N/A



- Lightweight O Matter® temples with custom metal accent hinges
- Oakley shield lens technology with HDO®
- Unobtainium® integrated earstems for added comfort
- Iridium® and gradient lens options
- Protective carrying case included



Amethyst / G40™ Black Gradient
05-356



Clear / VR50™ Brown Gradient
05-357



Polished Black / Grey
05-358



Crystal Berry / Grey
05-359



Black Chrome / Tungsten Iridium®
05-360



Dark Topaz / Bronze
05-361







WOMEN'S SUN - LIFESTYLE

Inspired by the personalities, passions and lifestyles of our female athletes.

Claudia Gonçalves (Becken) - Surf

BECKON™ **NEW**



EYE	BRIDGE	B	ED
60	17	51.8	65.4

POWER RANGES: +2.00 to -5.00; CYL -3.00

MINIMUM PD: 28 PAL: N/A



- Lightweight O Matter® frame material
- 6 Base lens technology with HDO®
- Polarized and Gradient lens options available
- Protective carrying case included
- Available with Oakley Authentic Prescription Lenses



Polished Black / Grey
009125-01



Crystal Turquoise / Black Grey Gradient
009125-02



Grape Juice / Black Violet Gradient
009125-03



Polished White / G40™ Black Gradient
009125-04



Vino / Dark Brown Gradient
009125-05



Polished Black / Grey Polarized
009125-06



Brown Sugar / Bronze Polarized
009125-07

FRINGE™ **NEW**



EYE	BRIDGE	B	ED
59	17	46.6	65

POWER RANGES: +2.00 to -5.00; CYL -3.00

MINIMUM PD: 28 PAL: N/A



- Lightweight O Matter® frame material
- 6 Base lens technology with HDO®
- Polarized and Gradient lens options available
- Protective carrying case included
- Available with Oakley Authentic Prescription Lenses



Polished Black / Grey
009124-01



Polished Clear / Black Violet Gradient
009124-02



Polished Black / Grey Polarized
009124-04



Tortoise / Bronze Polarized
009124-05



Tortoise / Dark Brown Gradient
009124-06



Polished White / G40™ Black Gradient
009124-07



Crystal Turquoise / Black Grey Gradient
009124-09



Grape Juice / Black Violet Gradient
009124-10



OAKLEY HINDER™



EYE	BRIDGE	B	ED
61	15	49.7	68

POWER RANGES: +2.00 to -4.00; CYL -3.00

MINIMUM PD: 27 PAL: N/A



Satin Black / Warm Grey
004043-01



Polished Chrome / Dark Grey
004043-02



Matte Berry / G40™ Black Gradient
004043-03



Polished Chrome / Grey Polarized
004043-04



Rose Gold / VR50™ Brown Gradient
004043-05



Polished Gold / Bronze Polarized
004043-06

- Ultra-lightweight C-5™ alloy frame material
- 8.75 base lens technology with HDO®
- Polarized and gradient lens options available
- Protective carrying case included
- Available with Oakley Authentic Prescription Lenses



OAKLEY DISCREET™



EYE	BRIDGE	B	ED
59	16	43	64

POWER RANGES: +2.00 to -5.00; CYL -3.00

MINIMUM PD: 27 PAL: 33.5



Black Stripe / Grey
002012-01



Purple Plaid / G40™ Black Gradient
002012-02



Jade / Grey
002012-04



Tiger Eye / Bronze Polarized
002012-05



Black Stripe / Grey Polarized
002012-06



NEW
LAVENDER TRUST
Polished Black / G40™ Black Gradient
002012-08

- Handmade acetate frame material with custom C-5™ accents
- 6 base lens technology with HDO®
- Polarized and gradient lens options available
- Protective carrying case included
- Available with Oakley Authentic Prescription Lenses



CORRESPONDENT™



EYE	BRIDGE	B	ED
61	13	48	68

POWER RANGES: +2.00 to -5.00; CYL -3.00

MINIMUM PD: 27 PAL: N/A



- Lightweight O Matter® frame material with ellipse metal icon accents
- Unobtainium® nose pads for increased comfort
- 6 base lens technology with HDO®
- Polarized, Iridium and gradient lens options available
- Protective carrying case included
- Available in Oakley Authentic Prescription Lenses



Polished Black with Lava / Grey
009094-01



Polished White / Black Grey Gradient
009094-02



Clear / Black Iridium®
009094-03



Grape Juice / Black Violet Gradient
009094-04



Topaz Tortoise / Bronze Polarized
009094-06



NEW

GRETCHEN BLEILER SIGNATURE
Polished Black / Grey
009094-12

RESTLESS®



EYE	BRIDGE	B	ED
60	15	42.7	62.3

POWER RANGES: +2.00 to -4.00; CYL -3.00

MINIMUM PD: 27 PAL: 32



- Ultra-lightweight C-5™ alloy frame material
- 8.75 base lens geometry with HDO®
- Genuine leather-wrapped temples
- Polarized, Iridium® and gradient lens options
- Protective carrying case and cleaning cloth included
- Available with Oakley Authentic Prescription Lenses



Black Chrome / Grey
05-718



Polished Chrome / G40™ Black Gradient
05-721



Polished Black / Grey Polarized
12-997



GRETCHEN BLEILER SIGNATURE
Polished Gold / VRSO™ Brown Gradient
05-720



DANGEROUS®



EYE	BRIDGE	B	ED
61	15	41.9	61.4

POWER RANGES: +2.00 to -4.00; CYL -3.00

MINIMUM PD: 27 PAL: 30.5



Black / Red / Grey
05-332



Lavender Tortoise / G40™ Black Gradient
05-333



Dark Brown / Bronze Polarized
12-972
















































LAVENDER TRUST
Polished Black / G40™ Black Gradient
24-185

- Handmade acetate frame material with custom C-5™ accents
- 8.75 base lens technology with HDO®
- Polarized, Iridium® and gradient lens options available
- Protective carrying case included
- Available with Oakley Authentic Prescription Lenses



SUNGLASS LENS OPTIONS

STANDARD

	RATE OF TRANSMISSION	CONTRAST	PROTECTION INDEX		RATE OF TRANSMISSION	CONTRAST	PROTECTION INDEX
INDOOR							
 CLEAR AVAILABLE IN PRESCRIPTION***	93%	NEUTRAL	0	 SLATE IRIDIUM®*	23%	NEUTRAL	2
 RUBY CLEAR® IRIDIUM®	92%	INCREASED	0	 EMERALD SLATE IRIDIUM®*	24%	NEUTRAL	2
OVERCAST				 VR35™ GOLD IRIDIUM®*	23%	INCREASED	2
 YELLOW	90%	INCREASED	0	BRIGHT LIGHT			
 HIGH INTENSITY YELLOW® IRIDIUM®*	86%	INCREASED	0	 BRONZE AVAILABLE IN PRESCRIPTION***	22%	INCREASED	2
 PINK IRIDIUM®	63%	INCREASED	1	 G20™	20%	INCREASED	2
 PERSIMMON AVAILABLE IN PRESCRIPTION***	61%	INCREASED	1	 GREY AVAILABLE IN PRESCRIPTION***	18%	NEUTRAL	3
 HIGH INTENSITY PERSIMMON® IRIDIUM®	59%	INCREASED	1	 VR28® GOLD IRIDIUM®*	17%	INCREASED	3
 TITANIUM CLEAR® IRIDIUM®*	54%	NEUTRAL	1	 JADE IRIDIUM®	17%	INCREASED	3
 GOLD CLEAR® IRIDIUM®*	53%	INCREASED	1	 VIOLET IRIDIUM®	17%	INCREASED	3
FLAT TO LOW LIGHT				 FIRE IRIDIUM®* AVAILABLE IN PRESCRIPTION***	16%	INCREASED	3
 BLACK PERSIMMON IRIDIUM®*	41%	INCREASED	2	 +RED® IRIDIUM®	15%	NEUTRAL	3
 LIGHT +RED® IRIDIUM®*	40%	INCREASED	2	 G20™ BLACK IRIDIUM®*	15%	INCREASED	3
 G40™	40%	INCREASED	2	 TUNGSTEN IRIDIUM®*	15%	INCREASED	3
 BLACK VIOLET IRIDIUM®	38%	INCREASED	2	 VR28® BLACK IRIDIUM®* AVAILABLE IN PRESCRIPTION***	14%	INCREASED	3
 VR50™ PINK IRIDIUM®	36%	INCREASED	2	 RUBY IRIDIUM®*	14%	NEUTRAL	3
 G30™ IRIDIUM®* AVAILABLE IN PRESCRIPTION***	30%	INCREASED (GOLF SPECIFIC)	2	 EMERALD IRIDIUM®* AVAILABLE IN PRESCRIPTION***	13%	NEUTRAL	3
 VR28® AVAILABLE IN PRESCRIPTION***	28%	INCREASED	2	 24K IRIDIUM®*	13%	INCREASED	3
 BLUE IRIDIUM®*	27%	INCREASED	3	 CHROME IRIDIUM®*	12%	NEUTRAL	3
 G26™ IRIDIUM®*	26%	INCREASED (SHOOTING SPECIFIC)	2	INTENSE SUN			
 VR28® BLUE IRIDIUM®*	26%	INCREASED	2	 GOLD IRIDIUM®* AVAILABLE IN PRESCRIPTION***	12%	INCREASED	3
 G30™ BLACK IRIDIUM®*	25%	INCREASED	2	 DARK BRONZE	12%	INCREASED	3
				 WARM GREY	10%	NEUTRAL	3
				 TITANIUM IRIDIUM®*	10%	INCREASED	3
				 ICE IRIDIUM®* AVAILABLE IN PRESCRIPTION***	10%	NEUTRAL	3
				 BLACK IRIDIUM®* AVAILABLE IN PRESCRIPTION***	10%	NEUTRAL	3
				 DARK GREY	10%	NEUTRAL	3

Protection Index (in compliance with the standard PrEN 1836)
 Index 0: aesthetic, very low protection
 Index 1: for weak sun luminosity
 Index 2: for average sun luminosity
 Index 3: for strong sun luminosity

*Iridium lens coatings reduce glare while balancing light transmission and color recognition in every type of weather.

**G26 IS A SPECIAL PURPOSE LENS DESIGNED FOR SHOOTING. THIS TINT IS NOT APPROPRIATE FOR DRIVING AND OTHER ACTIVITIES.

***Transmission on Oakley Authentic Prescription Lenses will vary.

****Not available in all countries. Please contact an Oakley representative for more information.

Lens colors shown are representations only. Actual color may vary.

® Indicates registration in the U.S.A. and certain foreign countries.

Transitions and the swirl are registered trademarks and SOLFX is a trademark of Transitions Optical, Inc.



OAKLEY HDPOLARIZED

	RATE OF TRANSMISSION	CONTRAST	PROTECTION INDEX
PARTLY CLOUDY			
LIGHT GREY POLARIZED	35%	NEUTRAL	2
AMBER POLARIZED	30%	INCREASED	2
AMBER BLACK IRIDIUM®** POLARIZED	18%	INCREASED	3
SUNNY			
SHALLOW BLUE™ IRIDIUM®** POLARIZED	21%	INCREASED ANGLING SPECIFIC	2
OO® RED IRIDIUM®** POLARIZED	20%	INCREASED	2
OO® GREY POLARIZED	18%	INCREASED	3
BRONZE POLARIZED <small>AVAILABLE IN PRESCRIPTION***</small>	18%	INCREASED	3
GREY POLARIZED <small>AVAILABLE IN PRESCRIPTION***</small>	17%	NEUTRAL	3
VR28® POLARIZED* <small>AVAILABLE IN PRESCRIPTION***</small>	16%	INCREASED	3
TUNGSTEN IRIDIUM®** POLARIZED	15%	INCREASED	3
VR28® BLUE IRIDIUM®** POLARIZED	14%	INCREASED	3
EMERALD IRIDIUM®** POLARIZED	13%	NEUTRAL	3
TITANIUM IRIDIUM®** POLARIZED	12%	INCREASED	3
INTENSE SUN			
+RED® IRIDIUM®** POLARIZED	18%	INCREASED	3
DEEP BLUE™ IRIDIUM®** POLARIZED	17%	NEUTRAL ANGLING SPECIFIC	3
FIRE IRIDIUM®** POLARIZED	14%	INCREASED	3
OO BLUE IRIDIUM®** POLARIZED	13%	INCREASED	3
OO BLACK IRIDIUM®** POLARIZED	12%	INCREASED	3
VR28® GOLD IRIDIUM® POLARIZED	11%	INCREASED	3
VR28® BLACK IRIDIUM®** POLARIZED <small>AVAILABLE IN PRESCRIPTION***</small>	10%	INCREASED	3
ICE IRIDIUM®** POLARIZED <small>AVAILABLE IN PRESCRIPTION***</small>	9%	NEUTRAL	3
BLACK IRIDIUM® POLARIZED* <small>AVAILABLE IN PRESCRIPTION***</small>	9%	NEUTRAL	3
GOLD IRIDIUM® POLARIZED* <small>AVAILABLE IN PRESCRIPTION***</small>	9%	INCREASED	3
GRADIENT			
BLACK GRADIENT	35%	NEUTRAL	2
BROWN GRADIENT	25%	INCREASED	2
VR50™ BROWN GRADIENT	24%	INCREASED	2
BLACK VIOLET GRADIENT	23%	INCREASED	2
G40™ BLACK GRADIENT	19%	INCREASED	2
SUNNY			
BLACK GREY GRADIENT	16%	NEUTRAL	3



PHOTOCHROMIC

	RATE OF TRANSMISSION	CONTRAST	PROTECTION INDEX
LIGHT GREY	41%	NEUTRAL	2
ACTIVATED	14%		3
CLEAR BLACK IRIDIUM®**	65%	NEUTRAL	1
ACTIVATED	11%		3
VR50™	50%	INCREASED	1
ACTIVATED	15%		3
G40™	36%	INCREASED	2
ACTIVATED	11%		3
PERSIMMON BLACK IRIDIUM®**	40%	INCREASED	2
ACTIVATED	11%		3



Oakley's High Definition Optics® (HDO®) offers the ultimate in performance. Now get the ultimate in automatic protection, comfort and convenience: lenses that darken and lighten automatically to help you keep up with Mother Nature. They're called Oakley Transitions® SOLFX™ and they combine Transitions SOLFX Photochromic technology with Oakley HDO® to give you the best clarity available, plus the unrivaled impact protection and 100% UV filtering of one of the purest lens materials on earth.

They feature base colors that precisely balance light and boost contrast to improve your depth perception. When sunlight is minimal, the color diminishes but never goes away, so you can maintain peak performance in the flatlight of overcast skies. As sunlight increases, the sunglass lens color darkens to keep up.

Add it all up and it's proof that there's only one thing better than sunglass lenses that change color: sunglass lenses that change color and give you the best visual quality, clarity and performance.

	RATE OF TRANSMISSION	CONTRAST	PROTECTION INDEX
CHANGING CONDITIONS TO INTENSE SUN			
GREY****	38%	NEUTRAL	2
ACTIVATED	8%		3
G40™****	40%	INCREASED	2
ACTIVATED	8%		3
OVERCAST TO SUNNY			
BLACK PERSIMMON IRIDIUM®****	42%	INCREASED	2
ACTIVATED	10%		3
CHANGING CONDITIONS TO SUNNY			
VR50™****	50%	INCREASED	1
ACTIVATED	10%		3





SUNGLASS LENS OPTIONS AVAILABLE WITH OAKLEY AUTHENTIC PRESCRIPTION LENSES



BRONZE

AVAILABLE IN POLARIZED

- Base Color: Brown
- Lens Transmission: 22% Polarized: 17%
- Contrast Lens
- Optimized Light Conditions: Medium to Bright Light
- Outdoor Environment: General Purpose
- Available in PAL (Polarized Only)



VR28® BLACK IRIDIUM®

AVAILABLE IN POLARIZED

- Base Color: Rose
- Lens Transmission: 18% Polarized: 10%
- High Contrast Lens
- Optimized Light Conditions: Extremely Bright Light
- Outdoor Environment: Field/Grass



GREY

AVAILABLE IN POLARIZED

- Base Color: Grey
- Lens Transmission: 18% Polarized: 18%
- Neutral Lens
- Optimized Light Conditions: Medium to Bright Light
- Outdoor Environment: General Purpose
- Available in PAL (Polarized Only)



VR28®

AVAILABLE IN POLARIZED

- Base Color: Rose
- Lens Transmission: 28% Polarized: 17%
- High Contrast Lens
- Optimized Light Conditions: Flat to Medium Light
- Outdoor Environment: Dirt/Trail



GOLD IRIDIUM®

AVAILABLE IN POLARIZED

- Base Color: Brown
- Lens Transmission: 12% Polarized: 9%
- Contrast Lens
- Optimized Light Conditions: Extremely Bright Light
- Outdoor Environment: General Purpose
- Available in PAL (Polarized Only)



PERSIMMON

- Base Color: Orange
- Lens Transmission: 61%
- High Contrast Lens
- Optimized Light Conditions: Flat to Low Light
- Outdoor Environment: Snow



BLACK IRIDIUM®

AVAILABLE IN POLARIZED

- Base Color: Grey
- Lens Transmission: 10% Polarized: 10%
- Neutral Lens
- Optimized Light Conditions: Extremely Bright Light
- Outdoor Environment: General Purpose
- Available in PAL (Polarized Only)



G30™

- Base Color: Rose
- Lens Transmission: 30%
- High Contrast Lens
- Optimized Light Conditions: Flat to Medium Light
- Outdoor Environment: Field/Grass



ICE IRIDIUM®

AVAILABLE IN POLARIZED

- Base Color: Grey
- Lens Transmission: 10% Polarized: 9%
- Neutral Lens
- Optimized Light Conditions: Extremely Bright Light
- Outdoor Environment: Water
- Available in PAL (Polarized Only)



FIRE IRIDIUM®

- Base Color: Bronze
- Lens Transmission: 16%
- Contrast Lens
- Optimized Light Conditions: Medium to Bright Light
- Outdoor Environment: Road

Lens Transmissions can vary by prescription. ALL LENSES OFFER 100% UV PROTECTION.



AUTHENTIC PRESCRIPTION LENS OPTIONS

Frame	Min PD Single Vision	Prescription Range Single Vision Total Power	Min PD Progressive	Prescription Range Progressive Vision Total Power
Beckon NEW	28	" +2,00 to -5,00; cyl -3,00"	n/a	
Bottlecap XL	29	" +2,00 to -4,00; cyl -3,00"	n/a	
Commit SQ	28.5	" +2,00 To -4,00; cyl -3,00"	n/a	
Correspondent	27	" +2,00 to -5,00; cyl -3,00"	n/a	
Oakley Cover Story	27	" +2,00 to -4,00; cyl -3,00"	33	" +2,00 to -3,75; cyl -3,00"
Crosshair 2.0	29	" +2,00 To -4,00; cyl -3,00"	n/a	" +2,00 to -3,75; cyl -3,00"
Dangerous	27	" +2,00 to -4,00; cyl -3,00"	30.5	" +2,00 To -3,75; cyl -3,00"
Oakley Discreet	27	" +2,00 to -5,00; cyl -3,00"	33.5	" +2,00 To -5,00; cyl -3,00"
Dispatch	28	" +2,00 to -5,00; cyl -3,00"	n/a	
Encounter	28	" +2,00 to -4,00; cyl -3,00"	31	" +2,00 to -3,75; cyl -3,00"
Enduring Edge	27	" +2,00 to -5,00; cyl -3,00"	n/a	
Enduring Pace	27	" +2,00 to -5,00; cyl -3,00"	n/a	
Fives	27	" +2,00 to -4,00; cyl -3,00"	28.5	" +2,00 To -3,75; cyl -3,00"
Fives Squared	27	" +2,00 to -4,00; cyl -3,00"	29	" +2,00 to -3,75; cyl -3,00"
Flak Jacket	30	" +2,00 to -4,00; cyl -3,00"	n/a	
Flak Jacket XLJ	30	" +2,00 to -4,00; cyl -3,00"	n/a	
Fringe NEW	27.5	" +2,00 to -5,00; cyl -3,00"	n/a	
Fuel Cell	29.5	" +2,00 To -5,00; cyl -3,00"	n/a	
Gascan	28	" +2,00 to -5,00; cyl -3,00"	33	" +2,00 to -5,00; cyl -3,00"
Half Jacket	29	" +2,00 to -4,00; cyl -3,00"	32	" +2,00 to -3,75; cyl -3,00"
Half Jacket XLJ	29	" +2,00 to -4,00; cyl -3,00"	32	" +2,00 to -3,75; cyl -3,00"
Hijinx	29	" +2,00 to -5,00; cyl -3,00"	n/a	
Oakley Hinder	27	" +2,00 to -4,00; cyl -3,00"	n/a	
Holbrook	25.5	" +2,00 To -5,00; cyl -3,00"	30	" +2,00 to -5,00; cyl -3,00"
Impatient	29	" +2,00 to -4,00; cyl -3,00"	n/a	
Jawbone	31	" +2,00 to -4,00; cyl -3,00"	n/a	
Juliet	29	" +2,00 to -4,00; cyl -3,00"	30.5	" +2,00 To -3,75; cyl -3,00"
Oakley Jupiter	26	" +2,00 to -5,00; cyl -3,00"	30	" +2,00 to -5,00; cyl -3,00"
Oakley Jupiter LX	26	" +2,00 to -5,00; cyl -3,00"	30	" +2,00 to -5,00; cyl -3,00"
M Frame Heater	26	" +2,00 to -5,00; cyl -3,00"	n/a	
M Frame Hybrid	26	" +2,00 to -5,00; cyl -3,00"	n/a	
M Frame Strike	26	" +2,00 to -5,00; cyl -3,00"	n/a	
M Frame Sweep	26	" +2,00 to -5,00; cyl -3,00"	n/a	
Minute 2.0	27	" +2,00 To -4,00; cyl -3,00"	28	" +2,00 to -3,75; cyl -3,00"
Monster Dog	30	" +2,00 to -4,00; cyl -3,00"	32.5	" +2,00 To -3,75; cyl -3,00"
Nanowire 4.0	28	" +2,00 To -4,00; cyl -3,00"	31.5	" +2,00 To -3,75; cyl -3,00"
Necessity NEW	30	" +2,00 to -4,00; cyl -3,00"	n/a	
Radar Path	28	" +2,00 to -5,00; cyl -3,00"	n/a	
Radar Pitch	28	" +2,00 to -5,00; cyl -3,00"	n/a	
Radar Range	28	" +2,00 to -5,00; cyl -3,00"	n/a	
Radar XL	28	" +2,00 to -5,00; cyl -3,00"	n/a	
Ravishing	29	" +2,00 to -4,00; cyl -3,00"	n/a	" +2,00 to -3,75; cyl -3,00"
Restless	27	" +2,00 to -4,00; cyl -3,00"	32	" +2,00 to -5,00; cyl -3,00"
Scalpel	28	" +2,00 to -4,00; cyl -3,00"	33	" +2,00 to -3,75; cyl -3,00"
Sideways	28	" +2,00 to -4,00; cyl -3,00"	32	" +2,00 to -3,75; cyl -3,00"
Splinter	29	" +2,00 to -4,00; cyl -3,00"	33.5	" +2,00 To -3,75; cyl -3,00"
Split Jacket	30	" +2,00 to -4,00; cyl -3,00"	n/a	" +2,00 to -3,75; cyl -3,00"
Square Whisker	29	" +2,00 to -4,00; cyl -3,00"	32.5	" +2,00 To -3,75; cyl -3,00"
Straight Jacket	30.5	" +2,00 To -4,00; cyl -3,00"	32	" +2,00 to -3,75; cyl -3,00"
Taken	27.5	" +2,00 To -4,00; cyl -3,00"	n/a	
Ten NEW	30	" +2,00 to -4,00; cyl -3,00"	34	" +2,00 to -3,75; cyl -3,00"
Tightrope	28	" +2,00 to -4,00; cyl -3,00"	30	" +2,00 to -3,75; cyl -3,00"
Vacancy	26	" +2,00 to -4,00; cyl -3,00"	n/a	
Whisker	29	" +2,00 to -4,00; cyl -3,00"	30.5	" +2,00 To -5,00; cyl -3,00"
X Squared	29	" +2,00 to -4,00; cyl -3,00"	30.5	" +2,00 To -3,75; cyl -3,00"

Not available in RX: Probation, Oakley Deception, Forsake, Breathless, Conduct, Half X, Ice Pick, Inmate, Nanowire 3.0, Snow Goggles, Speechless, Antix, Compulsvie, Oakley Liv, Oil Rig

Finished goods supplied with microbag & case

Manufactured in the Euro Super Lab - Republic of Ireland

* Progressive available - PAL PD MIN based on 18mm minimum fitting height

MERCHANDISING



Mega Tower 3.0 98-087 110v / 98-097 220v
Size: 26" x 21" x 73" or 66cm x 53cm x 185.5cm
Capacity: 45 units
Features: Lighting, Mirror, Brochure Holder, Storage



Double Wide 3.0 98-084 110v / 98-094 220v
Size: 35" x 21" x 73" or 89cm x 53cm x 185.5cm
Capacity: 65 units
Features: Lighting, Mirror, Brochure Holder, Storage



Square 0 Tower 97-726 110v / 97-727 220v
Size: 25" x 20" x 73" or 64.7cm x 53.2cm x 185.4cm
Capacity: 45 units
Features: Lighting, Mirror, Storage



Counter Top 3.0 97-591 110v / 97-712 220v
Size: 18" x 16" x 31" or 45.7cm x 40.6cm x 78.7cm
Capacity: 15 units
Features: Lighting



12 Piece Counter Top Display 98-083
Size: 18.5" x 11.6" x 24" or 47cm x 29.5cm x 60.9cm
Capacity: 12 Piece



Pedestal 3.0 97-590
Size: 18" x 18" x 41.5" or 45.7cm x 45.7cm x 115.6cm
Capacity: Storage only



Men's Window Display
97-494



Cube 3.0 97-589
Size: 14.75" x 14.75" x 16" or 37.3cm x 37.3cm x 40.6cm
Capacity: 5 units



1 Piece Glorifier
97-081



5 Piece Tray
97-082



1-Unit Display 2.0
97-899



2-Unit Display 2.0
97-900



3-Unit Display 2.0
97-901



Men's Slat Wall Branding Plate
97-189



Ad Card Holder 2.0
97-902



Oakley Ellipse Branding Plate
97-624



Polarized Test Display DI646
Size: 6" x 4" x 3.5" or 15.2cm x 10.2cm x 8.9cm
97-953 - Fish 97-955 - Road
97-954 - Water 97-957 - Snow



Oakley Mirror
97-169



3-D Hanging Icon
97-116



Women's Tower 2.0 97-496
 Size: 27" x 18" x 75" or 68.5cm x 46cm x 190.5cm
 Capacity: 40 - 45 units
 Features: Lighting, Mirror, Storage



Women's Single-Sided 21 Piece Slim Tower 97-867
 Size: 20" x 13.6" x 75" or 50.8cm x 33.5cm x 190.5cm
 Capacity: 21 units
 Features: Lighting, Mirror, Storage



Women's Counter Top 97-866
 Size: 18.5" x 11.6" x 24" or 47cm x 29.5cm x 60.9cm
 Capacity: 12 units



Women's Vertical Display 97-865
 Size: 7" x 7" x 11" or 17.8cm x 17.8cm x 27.9cm
 Capacity: 3 units



Women's Window Display
97-495



Women's Mirror
97-864



Women's Riser
97-179



Women's Tray
97-180



Women's Branding Plate
97-178

ACCESSORIES: OPTIONAL

SPORT	Half Jacket Half Jacket XLJ	07-346	Half Jacket/ Flak Jacket Soft Vault (Black)	
	M Frame Hybrid M Frame Hybrid S M frame Strike M Frame Sweep	07-105	Radar / M Frame Array Soft Vault	
ACTIVE	Bottlecap XL Crosshair 2.0 Minute 2.0 Monster Dog Scalpel Straight Jacket Ten Whisker	07-025	Large Soft Vault	
	Fives Halfwire 2.0 Splinter Square Whisker Tightrope	07-005	Medium Soft Vault	
	Half X Juliet	07-027	X-Metal New Soft Vault	
LIFESTYLE	Antix Batwolf Conduct Squared Conduct Squared Signature Dispatch Gascan Hijinx Holbrook Oakley Jupiter Oil Rig Probation Sideways	07-025	Large Soft Vault	
	Fives Squared	07-005	Medium Soft Vault	



SMALL METAL VAULT



LARGE METAL VAULT



SMALL SOFT VAULT



LARGE SOFT VAULT



X METAL SOFT VAULT



MEDIUM SOFT VAULT



HALF / FLAK JACKET (ARRAY)



RADAR / M FRAME SOFT VAULT (ARRAY)

OAKLEY WORLDWIDE

OAKLEY USA
One Icon
Foothill Ranch, California 92610
1 800 403 7449

OAKLEY ICON
Puls 5
Giessereistr. 18
CH-8005 Zürich Switzerland
00800 62 55 39 38

OAKLEY CANADA
2660 Diab St-Laurent
Quebec H4S 1E8
1 800 448 9714

OAKLEY JAPAN
MT2 Bldg., 1-12-23 Mita
Meguro-ku, Tokyo
153-0062
+81 3 3716 9300

LUXOTTICA SOUTH AFRICA PTY LTD
2nd Floor Block A
Black River Park North
2 Fir Street
Observatory
7445
0861 486 100

OAKLEY BRASIL
Rua Ministro Jesuino Cardoso, 52
Itaim Bibi, São Paulo - SP
Brasil
CEP: 04544-050

© 2011 Oakley, Inc.
® indicates registration in the U.S.A. and certain countries.
48-027

